WEST Search History

DATE: Friday, October 11, 2002

Set Name		Hit Count	
side by side			result set
DB = US	PT,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L2	L1 and (drive near (enclose or encap\$ or encase))	13	L2
L1	(disk drive) and (socket)	3125	L1

END OF SEARCH HISTORY

	Туре	L#	Hits	Search Text	DBs	Time Stamp	Commen ts	Error Definition	Err or
1	IS&R	L1	6081	(360/75).CCLS.	USPA T; US-P GPUB ; EPO; JPO; DER WEN	2002/10/11 12:59			0
2	BRS	L8	43	I1 and (drive same (ic))	T- IR USPA T; US-P GPUB; EPO; JPO; DER WEN T- IR				0
3	BRS	L15	44	l1 and (piezo\$ near actuator)	USPA T; US-P GPUB ; EPO; JPO; DER WEN	2002/10/11 13:07			0
4	BRS	L22	0	I1 and (micro adj1 actuactor)	T: IB USPA T; US-P GPUB; EPO; JPO; DER WEN T: IB				0
5	BRS	L29	0	I1 and (micro-actuactor)	USPA T; US-P GPUB ; EPO; JPO; DER WEN	2002/10/11 13:08	·		0
6	BRS	L36	15	I1 and (micro near actuator)	T: IR USPA T; US-P GPUB ; EPO; JPO; DER WEN T: IR	12 A			0

	Туре	L#	Hits	Search Text	DBs	Time Stamp	Commen ts	Error Definition	Err or
7	BRS	L43	12	I1 and (socket)	JPO; JPO; DER WEN	2002/10/11 13:10			
8	BRS	L50	0	l1 and (ic near3 (socket))	USPA T; US-P GPUB; EPO; JPO; DER WEN	2002/10/11 13:11			0
9	IS&R	L57	1953	(360/69).CCLS.	T: IR USPA T; US-P GPUB ; EPO; JPO; DER WEN T: IR	2002/10/11			0
10	BRS	L64	4	I57 and (micro near actuator)	USPA T; US-P GPUB	2002/10/11			0
11	BRS	L71	0	((disk or disc) adj1 drive) and ((enclos\$4) near (ic adj2 socket))	USPA T; US-P GPUB :				0